

Allen & Heath Zedi-10FX ??????? ?????? ?????





????????? 10 ?????????? ?? ??? ??? USB, (2 Mic/Line/Hi-Z, 2 Mic/Line, 2 Stereo, 4 USB) ?? EQ 3 ?????????? ??? Mic In, 2 ?????????? ??? ST2, 1 x AUX (pre), 1 x FX (post), Master out, Monitor Out, USB 4 ?????????? ??? ?????? ?? ?????? ?????????? ??? ??? 4 ?????????? MIC ??? ?????????? (??? ??????? ?????????????). M? ?????? ?????????????? ??? PFL, Phantom Power 48V, Low Cut Switches ??? ?????? Led ??? ?????????? ??? Master.????????? ??????? Multi Mode ?? Tap Tempo. ????????????? (HxWxD): 9.6 x 33.27 x 27.43 cm ??????: 2,31 kg

Rating: Not Rated Yet

Price

259,00 €

259,00 €

1-3 Μέρες
★★★★

[Ask a question about this product](#)

Manufacturer [Allen&Heath](#)

Description

ALLEN & HEATH ZEDI-10FX ?????????? ?????? ????? 10 ??????????? USB

? ZEDi-10FX ?????????? ??? ?????????? ??? ?????????????? ?????????? ?? ??? **multitrack USB Interface4 in x 4 out**, ?????????????? ??? ??? ?????????? ?????????? ??? ?????????????, ?????????????????? ??? ?????? ??????????????. ????? ?? ?????????????????? ??? ?? ?????????? ?????????? ?????? ??? ?????????????? ??? upload ??? Soundcloud ??? ?? Youtube, ?? ?????????? ZED ?????? ?? ?????????? ?????????????? ??? ?????? ?????? ??? ?????????????????? ??? ??? Allen & Heath.

?? ?? Studio Quality, 24-bit/96kHz, **4in/4out USB Audio Interface** ?????????? ?? ?????????????? ?? ?????? ?????????? **multitrack ??? ?????????????? ??? Mac ? ?? PC** ??? ?????? ??? ??????????. ?????????? ?????????????? **GSPre** (????? ?? ??? ?????????? ??????? GS-R24), ?????????? ??? ?????????????? ??????? ?????????? ?????????, ?????????? **Headroom** ??? ?????????? ?????????? ????. ?????????????????? ?????? ??? 2 ?????????? DI Hi-Z, ??? ??? ?????????????? ?? ?????????????? ?????????? ?????????? ?? ?????????? (????????? ??????????????, ??????????????, ?????????????? ???), ?????? ?? ?????????????????? ?????????? ?????? ?????????????.

?????????????????:

- 4 in, 4 out USB Audio Interface (24-bit/96kHz)
- Cubase LE Software included
- Cubasis LE App included
- 4 Mic / Line Inputs with separate XLR and TRS jack sockets
- 2 Stereo Inputs with TRS jack sockets
- 2 Guitar DI high impedance inputs, eliminating the need for DI boxes
- Internal FX Engine with Tap Tempo
- Lo-cut filter for cleaning up unwanted low frequency noise
- 3 band EQ for easy creative and corrective tonal shaping
- Aux out for connecting a monitor speaker or in-ear / headphone monitoring
- 60mm smooth travel fader on main mix
- XLR main outputs
- Flexible signal monitoring
- 8 LED signal metering
- 48V Phantom Power for condenser mics
- Robust internal power supply
- ?????????? (HxWxD): 9.6 x 33.27 x 27.43 cm
- ??????: 2,31 kg

Reviews

There are yet no reviews for this product.